

# CLAYTON

PLANT PROTECTION

CLAYTON BELFRY

## SAFETY DATA SHEET

### 1. IDENTIFICATION OF SUBSTANCE

Clayton Belfry MAPP 12886  
For use only as an agricultural/horticultural fungicide.

#### Marketing company

Clayton Plant Protection (UK) Ltd.,  
Unit F10, Bracetown Business Park, Clonee, Co. Meath, Ireland.  
Tel: (00 353) 1 8210127 Fax: (00 353) 1 8217747

### 2. COMPOSITION/INFORMATION ON INGREDIENTS

Azoxystrobin	23 % w/w	CA 131860-33-8	T, N	R23, 50/53
Propane-1,2-diol	1-10 % w/w	CA 57-55-6	-	-
Ethoxylated C16-18 alcohols	5-10 % w/w	CA 68439-49-6	Xn	R22, 36
Sodium naphthalenesulphonic acid polymer with formaldehyde	1-5 % w/w	CA 9008-63-3	Xi	R36/38

### 3. HAZARDS IDENTIFICATION

Human Low hazard  
Environmental Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment

### 4. FIRST AID

Remove all contaminated clothing.

**Eyes:** flush immediately with plenty of water for 15 minutes. Seek immediate medical attention.

**Skin:** wash exposed skin and hair with water, then with soap and water. If the patient feels unwell, seek medical advice.

**Inhalation:** remove patient to fresh air; keep patient warm; seek medical attention.

**If swallowed:** do not induce vomiting. Wash mouth with water; seek immediate medical attention and show the container label or this datasheet.

### 5. FIRE FIGHTING

Wear full protective clothing, goggles and respirator. Call fire brigade for all but small, immediately controllable fires. Packaging will burn. Toxic fumes may be released. Keep containers cool by spraying with water. Extinguish source of fire, preferably with dry inert powder, foam, carbon dioxide or water fog. Do not use a water jet. Contain fire-fighting water, bunding as necessary.

### 6. ACCIDENTAL RELEASE

Wear coverall, face protection, rubber boots and suitable protective gloves. Contain spillage, particularly to prevent contamination of water. Inform local water plc immediately if spillage enters drains. Inform Environment Agency/Scottish Environment Protection Agency if spillage enters surface or ground waters. Absorb spillage in sand or earth. Collect all contaminated material and place in covered, labelled containers for disposal. Do not flush with water.

### 7. HANDLING AND STORAGE

Keep away from food, drink and animal feeding stuffs.

Keep out of reach of children.

Keep in original container, tightly closed, in a safe place.

Store in a cool, dry place. Protect from frost.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Wash any contamination from skin or eyes immediately.

Do not breathe spray.

When using do not eat, drink or smoke.

Wash hands and exposed skin before eating and drinking and after work.

Occupational exposure standards: Propane-1,2-diol (vapour and particulates)  
long-term exposure limit (8-hour TWA ref. period) = 474 mg m<sup>-3</sup> or 150 ppm.  
short-term exposure limit (15-minute ref. period) = not determined

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: opaque off-white liquid  
Flash point: >97°C  
Oxidising properties: none  
Relative density: 1.09  
Water solubility: miscible in all proportions

## 10. STABILITY AND REACTIVITY

Stable in packaging and in air at ordinary temperatures.

## 11. TOXICOLOGY

Acute oral LD<sub>50</sub> for rat: >2000 mg/kg  
Acute dermal LD<sub>50</sub> for rat: >2000 mg/kg  
Acute inhalation LC<sub>50</sub> (4 hour) for rat: >6.3 mg/litre air  
Eye irritation: non-irritant  
Skin irritation: non-irritant  
Skin sensitisation: negative (guinea-pig)

## 12. ECOLOGICAL INFORMATION

Fish LC<sub>50</sub> (96-hour) for rainbow trout: 1.2 mg/l  
Daphnia LC<sub>50</sub> (48-hour): 0.83 mg/l  
Algae EC<sub>50</sub> (72-hour): 0.71 mg/l

## 13. DISPOSAL

Product: dispose of via an authorised disposal contractor.  
Containers: dispose of via an authorised disposal contractor. Consult also 'Pesticides: Code of Practice for the Safe Use of Pesticides on Farms and Holdings' (DEFRA/HSE).

## 14. ROAD AND RAIL TRANSPORT

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., (contains azoxystrobin)  
UN 3082; Class 9; Packing Group III  
(Marine pollutant)  
Packaging: 1-20 litres in high-density polyethylene containers.

## 15. REGULATORY INFORMATION



N DANGEROUS FOR THE ENVIRONMENT

R50/R53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment

S2 Keep out of the reach of children.  
S13 Keep away from food, drink and animal feedingstuffs.  
S35 This material and its container must be disposed of in a safe way.

The product is approved under the Plant Protection Products Regulations (as amended).  
The Control of Substances Hazardous to Health (COSHH) Regulations may apply to the use of the product at work.

## 16. OTHER INFORMATION

Issued: April 2006