

CLAYTON

PLANT PROTECTION

CLAYTON LAMBADA SAFETY DATA SHEET

1. IDENTIFICATION OF SUBSTANCE

Clayton Lambada MAPP 13231
For use only as an agricultural/horticultural insecticide.

Marketing company

Clayton Plant Protection (UK) Ltd.,
Unit F10, Bracetown Business Park, Clonee, Co. Meath, Ireland.
Tel: (00 353) 1 8210127 Fax: (00 353) 1 8217747

2. COMPOSITION/INFORMATION ON INGREDIENTS

Lambda-cyhalothrin	100 g/l	CA 91465-08-6	T+, N	R 21, 25, 26, 50/53
Propylene glycol	<500 g/l	CA 57-55-6	-	-
Solvent naphtha (petroleum) heavy aromatic	<100 g/l	CA 64742-94-5	Xn, N	R 65, 66, 51/53
1,2-benzisothiazolin-3-one	1 g/l	CA 2634-33-5	Xn, N	R 22, 38, 41, 43, 50

3. HAZARDS IDENTIFICATION

Human	Ingestion:	harmful if swallowed
	Skin:	may cause sensitisation
	Eyes:	mild irritant
	Inhalation:	harmful
Environmental	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.	

4. FIRST AID

Eyes: flush immediately with plenty of water for 15 minutes. Seek medical attention immediately.

Skin: remove all contaminated clothing. Wash exposed skin and hair immediately with water, then with soap and water. If the patient feels unwell, seek medical advice.

Inhalation: remove to fresh air; prevent all exertion; seek medical attention if inhalation is suspected.

If swallowed: do not induce vomiting; wash mouth with water; seek medical attention immediately and show the container label or this datasheet.

5. FIRE FIGHTING

Wear full protective clothing, goggles and respirator. Call fire brigade for all but small, immediately controllable fires. Toxic fumes may be released. Do not breathe smoke. Keep containers cool by spraying with water. Extinguish source of fire, preferably with dry inert powder, foam, carbon dioxide or water fog. Do not use a water jet. Contain fire-fighting water, bunding as necessary.

6. ACCIDENTAL RELEASE

Wear coverall, face protection, rubber boots and suitable protective gloves as appropriate to the situation. Keep unprotected persons and animals away. Prevent contamination of water. Inform local water plc immediately if product enters drains. Inform Environment Agency/Scottish Environment Protection Agency if product enters surface or ground waters. Absorb spillage with sand or other inert material. Collect up all contaminated material and place in covered, labelled containers for disposal. Do not flush with water.

7. HANDLING AND STORAGE

Keep away from food, drink and animal feeding stuffs. Keep out of reach of children. Keep in original container, tightly closed, in a safe place. Store in a cool, dry place. Protect from frost.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Wear suitable protective clothing (coveralls, apron), suitable protective gloves, rubber boots and face protection (faceshield) when handling the concentrate.

Wash concentrate from skin or eyes immediately. When using do not eat, drink or smoke.

Wash hands and exposed skin before eating, drinking or smoking and after work.

Propylene glycol (vapour and particulates): Long-term exposure limit (8-hour TWA ref. period) = 150 ppm or 474 mg m⁻³

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: liquid suspension
Colour: beige
Odour: slightly aromatic
Flash point: >93°C
Density: 1.06 g/ml at 20°C
pH of product: 5
Water solubility: miscible with water in all proportions

10. STABILITY AND REACTIVITY

Stable in packaging and in air at ordinary temperatures. Keep in original packaging. Toxic and irritant vapours may be evolved on heating.

11. TOXICOLOGY

Acute oral LD₅₀ for rat: 334 mg/kg
Acute dermal LD₅₀ for rat: >2000 mg/kg
Inhalation: Not hazardous when handled and used as directed.
Eye irritancy (rabbit): Mild irritant
Skin irritancy (rabbit): Non-mild irritant
Skin sensitisation: Positive, mild

12. ECOLOGICAL INFORMATION

LC₅₀ (96 hour) for carp: 12 µg/l
Daphnia LC₅₀ (48-hour): 2.6 µg per litre

13. DISPOSAL

Product: dispose of via an authorised disposal contractor.

Containers: dispose of via an authorised disposal contractor. Consult also 'Pesticides: Code of Practice for the Safe Use of Pesticides on Farms and Holdings' (DEFRA/HSE).

14. ROAD AND RAIL TRANSPORT

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains lambda-cyhalothrin and substituted benzenoid hydrocarbons). UN 3082; Class 9; Packing group III (Marine pollutant)
Packaging: 1 litre in polyethylene terephthalate or 1-5 litres in high-density polyethylene containers.

15. REGULATORY INFORMATION



Xn HARMFUL

contains 100 g/l lambda-cyhalothrin with 1,2-benzisothiazolin-3-one

R20/22 Harmful by inhalation and if swallowed
R43 May cause sensitisation by skin contact



N DANGEROUS FOR
THE ENVIRONMENT

R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment

S2 Keep out of the reach of children.

S13 Keep away from food, drink and animal feedingstuffs.

S24 Avoid contact with skin

S36/37 Wear suitable protective clothing and gloves.

S62 If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

S35 This material and its container must be disposed of in a safe way.

The Control of Substances Hazardous to Health (COSHH) Regulations may apply to the use of the product at work.

This product is approved under the Plant Protection Products Regulations (as amended).

16. OTHER INFORMATION

Issued: January 2006